SYSTEM **KAN-therm**

PP

High quality
for reasonable price

TECHNOLOGY OF SUCCESS

ISO **9001**

KAN-therm pipe PN10

Size D	kg/m	Straight length/ Pcs. in one box [m]	Code	Price EUR/m	Group
20×1,9	0,11	4/200	04000120		L
25×2,3	0,15	4/160	04000125		L
32×2,9	0,27	4/80	04000132		L
40×3,7	0,41	4/60	04000140		L
50×4,6	0,64	4/40	04000150		L
63×5,8	1,01	4/24	04000163		L
75×6,8	1,42	4/20	04000175		L
90×8,2	2,03	4/12	04000190		L
110×10,0	3,10	4/8	04000111		L

KAN-therm pipe PN16

Size D	kg/m	Straight length/ Pcs. in one box [m]	Code	Price EUR/m	Group
20×2,8	0,15	4/160	04000220		L
25×3,5	0,23	4/100	04000225		L
32×4,4	0,38	4/60	04000232		L
40×5,5	0,58	4/40	04000240		L
50×6,9	0,89	4/28	04000250		L
63×8,6	1,42	4/16	04000263		L
75×10,3	2,02	4/12	04000275		L
90×12,3	2,91	4/8	04000290		L
110×15,1	4,32	4/4	04000211		L

KAN-therm pipe PN20

Size D	kg/m	Straight length/ Pcs. in one box [m]	Code	Price EUR/m	Group
16×2,7	0,11	4/200	04000316		L
20×3,4	0,17	4/160	04000320		L
25×4,2	0,27	4/100	04000325		L
32×5,4	0,43	4/60	04000332		L
40×6,7	0,67	4/40	04000340		L
50×8,3	1,05	4/28	04000350		L
63×10,5	1,65	4/16	04000363		L
75×12,5	2,34	4/12	04000375		L
90×15,0	3,36	4/8	04000390		L
110×18,3	5,04	4/4	04000311		L

KAN-therm pipe PN16 Stabi Al

Size D	kg/m	Straight length/ Pcs. in one box [m]	Code	Price EUR/m	Group
20×2,8	0,19	4/100	03800020		M
25×3,5	0,29	4/80	03800025		M
32×4,4	0,46	4/40	03800032		M
40×5,5	0,68	4/28	03800040		M
50×6,9	1,06	4/20	03800050		M
63×8,6	1,60	4/12	03800063		M
75×10,3	2,22	4/8	03800075		M

KAN-therm pipe PN20 Stabi Al

Size D	kg/m	Straight length/ Pcs. in one box [m]	Code	Price EUR/m	Group
16×2,7	0,16	4/160	03900016		M
20×3,4	0,22	4/100	03900020		M
25×4,2	0,33	4/80	03900025		M
32×5,4	0,52	4/40	03900032		M
40×6,7	0,77	4/28	03900040		M
50×8,3	1,16	4/20	03900050		M
63×10,5	1,84	4/12	03900063		M
75×12,5	2,62	4/8	03900075		M
90×15,0	3,60	4/4	03900090		M
110×18,3	5,40	4/4	03900011		M

KAN-therm pipe PN16 Glass

Size D	kg/m	Straight length/ Pcs. in one box [m]	Code	Price EUR/m	Group
20×2,8	0,16	4/100	03810020		M
25×3,5	0,25	4/80	03810025		M
32×4,4	0,43	4/40	03810032		M
40×5,5	0,60	4/28	03810040		M
50×6,9	0,93	4/20	03810050		M
63×8,6	1,42	4/12	03810063		M
75×10,3	2,08	4/8	03810075		M
90×12,3	2,99	4/8	03810090		M
110×15,1	4,46	4/4	03810011		M

KAN-therm pipe PN20 Glass

Size D	kg/m	Straight length/ Pcs. in one box [m]	Code	Price EUR/m	Group
20×3,4	0,18	4/100	03910020		M
25×4,2	0,29	4/80	03910025		M
32×5,4	0,46	4/40	03910032		M
40×6,7	0,68	4/28	03910040		M
50×8,3	1,00	4/20	03910050		M
63×10,5	1,55	4/12	03910063		M
75×12,5	2,34	4/8	03910075		M
90×15,0	3,36	4/8	03910090		M
110×18,3	4,90	4/4	03910011		M

KAN-therm loop compensation

Size D	Loop diameter [mm]	Lenght [mm]	Pcs. in one box [m]	Code	Price EUR/m	Group
16	150	370	20	04101016		N
20	150	370	20	04101020		N
25	150	370	15	04101025		N
32	150	370	10	04101032		N

KAN-therm crossover

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	200	04102016		N
20	150	04102020		N
25	100	04102025		N
32	60	04102032		N

KAN-therm straight coupling

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	80/1360	04103016		N
20	100/700	04103020		N
25	50/550	04103025		N
32	40/280	04103032		N
40	30/180	04103040		N
50	-/110	04103050		N
63	-/60	04103063		N
75	-/45	04103075		N
90	-/24	04103090		N
110	-/16	04103011		N

KAN-therm reducer

Size D	d	Pcs./packing	Code	Price EUR/pc	Group
20	16	100/1200	04108020		N
25	16	50/1100	04108025		N
25	20	100/900	04108026		N
32	20	80/640	04108032		N
32	25	80/560	04108033		N
40	20	50/400	04108040		N
40	25	50/350	04108041		N
40	32	50/300	04108042		N
50	32	30/180	04108050		N
50	40	30/150	04108051		N
63	32	-/100	04108063		N
63	40	-/100	04108064		N
63	50	-/100	04108065		N
75	50	-/80	04108075		N
75	63	-/50	04108076		N
90	50	-/48	04108090		N
90	63	-/45	04108091		N
90	75	-/45	04108092		N
110	75	-/27	04108013		N
110	90	-/27	04108011		N

KAN-therm straight female connector

Size D	Rp	Pcs./packing	Code	Price EUR/pc	Group
16	½"	20/200	04103116		N
20	½"	20/180	04103120		N
20	¾"	30/150	04103121		N
25	½"	20/160	04103125		N
25	¾"	30/150	04103126		N

KAN-therm straight female connector

Size D	Rp	Pcs./packing	Code	Price EUR/pc	Group
32	1"	-/100	04103132		N
40	1¼"	-/60	04103140		N
50	1½"	-/35	04103150		N
63	2"	-/18	04103163		N
75	2½"	-/12	04103175		N
90	3"	-/8	04103190		N

Caution:
spanner can be used within the element

KAN-therm straight male connector

Size D	R	Pcs./packing	Code	Price EUR/pc	Group
16	½"	20/160	04103216		N
20	½"	20/160	04103220		N
20	¾"	30/120	04103221		N
25	½"	20/140	04103225		N
25	¾"	30/120	04103226		N

KAN-therm straight male connector

Size D	R	Pcs./packing	Code	Price EUR/pc	Group
32	1"	-/80	04103232		N
40	1¼"	-/50	04103240		N
50	1½"	-/36	04103250		N
63	2"	-/18	04103263		N
75	2½"	-/10	04103275		N
90	3"	-/6	04103290		N

Caution:
spanner can be used within the element

KAN-therm elbow 90°

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	50/900	04104016		N
20	100/500	04104020		N
25	50/350	04104025		N
32	20/200	04104032		N
40	20/120	04104040		N
50	60	04104050		N
63	32	04104063		N
75	20	04104075		N
90	12	04104090		N
110	8	04104011		N

KAN-therm nipple elbow 90°

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	50/1000	04104216		N
20	100/600	04104220		N
25	50/400	04104225		N

KAN-therm elbow 45°

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	50/950	04104316		N
20	100/700	04104320		N
25	50/400	04104325		N
32	40/200	04104332		N
40	20/140	04104340		N
50	-/80	04104350		N
63	-/40	04104363		N
75	-/25	04104375		N
90	-/14	04104390		N

KAN-therm nipple elbow 45°

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	50/1050	04104116		N
20	100/700	04104120		N
25	50/450	04104125		N

KAN-therm wallplate elbow

Size D	Rp	Pcs./packing	Code	Price EUR/pc	Group
16	½"	20/140	04104416		N
20	½"	20/140	04104420		N
25	½"	20/120	04104425		N

KAN-therm male elbow 90°

Size D	R	Pcs./packing	Code	Price EUR/pc	Group
16	½"	20/140	04104516		N
20	½"	30/90	04104520		N
20	¾"	30/90	04104521		N
25	½"	20/120	04104525		N
25	¾"	30/90	04104526		N
32	1"	-/50	04104534		N

KAN-therm elbow with female thread

Size D	Rp	Pcs./packing	Code	Price EUR/pc	Group
16	½"	20/180	04104616		N
20	½"	20/140	04104620		N
20	¾"	30/120	04104621		N
25	½"	20/120	04104625		N
25	¾"	30/120	04104626		N
32	1"	-/50	04104634		N

KAN-therm reducing tee

Size d1	d2	Pcs./packing	Code	Price EUR/pc	Group
20	16	20/380	04105020		N
25	16	20/260	04105025		N
25	20	20/240	04105026		N
32	16	20/140	04105032		N
32	20	20/140	04105033		N
32	25	20/140	04105034		N
40	20	20/80	04105040		N
40	25	15/90	04105041		N
40	32	15/90	04105042		N
50	20	-/60	04105050		N
50	25	-/65	04105051		N
50	32	-/60	04105052		N
50	40	-/50	04105053		N
63	32	-/30	04105063		N
63	40	-/22	04105064		N
63	50	-/22	04105065		N
75	40	-/17	04105075		N
90	50	-/12	04105090		N
90	63	-/10	04105091		N
90	75	-/12	04105092		N

KAN-therm tee

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	40/640	04105116		N
20	80/400	04105120		N
25	20/240	04105125		N
32	20/140	04105132		N
40	15/75	04105140		N
50	-/50	04105150		N
63	-/24	04105163		N
75	-/15	04105175		N
90	-/10	04105190		N
110	-/8	04105111		N

KAN-therm corner tee

Size D	Pcs./packing	Code	Price EUR/pc	Group
20	40/360	04105416		N

KAN-therm four way fitting

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	80/480	04106016		N
20	40/320	04106020		N

KAN-therm tee with male thread

Size D	R	Pcs./packing	Code	Price EUR/pc	Group
20	½"	20/120	04105316		N

KAN-therm tee with female thread

Size D	Rp	Pcs./packing	Code	Price EUR/pc	Group
16	½"	20/140	04105216		N
20	½"	20/120	04105220		N
20	¾"	30/90	04105221		N
25	½"	20/180	04105225		N
25	¾"	30/180	04105226		N
32	¾"	15/60	04105232		N

KAN-therm straight union with gasket

Side D	G	Pcs./packing	Code	Price EUR/pc	Group
20	¾"	20/200	04107020		N

KAN-therm half union

Side D	Rp	Pcs./packing	Code	Price EUR/pc	Group
16	¾"	50/300	04107116		N
20	¾"	50/400	04107120		N
25	1"	20/100	04107125		N

KAN-therm straight union

Side D	R	Pcs./packing	Code	Price EUR/pc	Group
16	½"	20/200	04107216		N
20	½"	20/200	04107220		N
20	¾"	20/200	04107221		N
25	¾"	20/100	04107225		N
25	1"	20/100	04107226		N

KAN-therm flange 110

Version	Pcs./packing	Code	Price EUR/pc	Group
without groove	16	04109011		N
with groove and O-Ring seal	16	04109012		N

Caution:
suitable for flanges acc. to PN16 wg PN-EN 1092-1:2010

KAN-therm steel flange PN16

size	Dn	holes	Pcs./packing	Code	Price EUR/pc	Group
110	100/110	8	1	04109014		N

D	d1	b	k	d0
[mm]	[mm]	[mm]	[mm]	[mm]
220	128	18	180	18



KAN-therm stop end

Size D	Pcs./packing	Code	Price EUR/pc	Group
16	100/1000	04110016		N
20	200/1000	04110020		N
25	100/700	04110025		N
32	50/500	04110032		N
40	50/250	04110040		N
50	-/170	04110050		N
63	-/80	04110063		N
75	-/50	04110075		N
90	-/30	04110090		N
110	-/20	04110011		N

KAN-therm ball valve

Size	Pcs./packing	Code	Price EUR/pc	Group
20	10/90	04111220		N
25	10/50	04111225		N
32	5/25	04111232		N
40	5/15	04111240		N
50	2/10	04111250		N
63	2/8	04111263		N
75	1/5	04111275		N

NEW

KAN-therm globe valve

Size	Pcs./packing	Code	Price EUR/pc	Group
20	1/30	04112220		N
25	1/30	04112225		N
32	1/30	04112232		N

NEW

KAN-therm concealed globe valve

Size	Pcs./packing	Code	Price EUR/pc	Group
20	1/30	04113220		N
25	1/30	04113225		N
32	1/30	04113232		N

Valves delivered with two plugs for marking hot water (red) or cold water (blue).

NEW

KAN-therm concealed globe valve with masking and mini handle

Size	Pcs./packing	Code	Price EUR/pc	Group
20	1/40	04114220		N
25	1/40	04114225		N
32	1/40	04114232		N